

# Safety Data Sheet

## 1. Identification of the preparation and the Company

### 1.1 Identification of the preparation

Product name P.A. 103 COMP. B

### 1.2 Identification of the Company

Name Sinit S.r.l.  
Full address Via V.Chiarugi, 76  
District and Country 45100 ROVIGO  
Italy  
tel. ++39 0425 361961  
fax ++39 0425 410115  
For urgent inquiries refer to sinit@tin.it

## 2. Composition/Information on ingredients

Name	Concentr.(C)	Classification
PARATERTIARIOBUTYLPHENOL N°Cas 98-54-4 N°CE 202-679-0	2,2 <= C < 4,3	Xn R42/43 Xi R36/37/38
2-PIPERAZINE-1-ILETHYLAMINE N°Cas 140-31-8 N°CE 205-411-0 N°Index 612-105-00-4	0,9 <= C < 3	C R34 Xn R21/22 Xi R37 Xi R43
3-AMINOMETHYL-3,5,5- TRIMETHYLCYCLOHEXYLAMINE N°Cas 2855-13-2 N°CE 220-666-8 N°Index 612-067-00-9	5,9 <= C < 9	C R34 Xn R21/22 Xi R37 Xi R43
3,6-DIAZAOCTANE-1,8-DIAMINE N°Cas 112-24-3 N°CE 203-950-6 N°Index 612-059-00-5	2,2 <= C < 4,2	R52/53 C R34 Xn R21 Xi R43
BENZYL ALCOHOL N°Cas 100-51-6 N°CE 202-859-9 N°Index 603-057-00-5	5,9 <= C < 9	Xn R20/22

The complete text of -R- phrases is specified in section 16.

## 3. Danger Identification

### 3.1 Substance/Preparation Classification

This preparation is dangerous under 67/548/EEC and 1999/45/EC regulations and subsequent amendments. This preparation requires a safety data sheet according to the 91/155/EC regulation and subsequent amendments. Further information on health and/or environmental hazards can be found in sections 11 and 12 of this sheet.

Danger Symbols: C

Phrases R: 34-37-42/43

### 3.2 Danger Identification

Causes burns.  
Irritating to respiratory system.  
May cause sensitization by inhalation and skin contact.

## 4. First-aid measures

# P.A.103

## (COMPONENT B)

Revision nr. 1  
Dated 09/26/2003  
Printed on 09/26/2003  
Page n.2 / 2

Eyes: Wash immediately with plenty of water for at least 15 minutes and seek medical advice at once.

Skin: Immediately take off all contaminated clothing and have a shower. Consult a doctor immediately.

Ingestion: Have the patient drink water as much as possible and seek medical advice immediately. Do not induce vomiting before consulting a doctor.

Inhalation: Immediately seek medical advice. In the meantime, remove the patient to the fresh air, far from the contaminated premises; if respiration stops or is difficult, give an artificial

### 5. Fire-fighting measures

N-AMINOETHYLPIPERAZINE

Use common means of extinguishing: water spray, co2, foam, dry dust. Avoid abundant jets of water.

Burning causes unpleasant and toxic smoke: carbonic oxide, nitrogen oxide.

PROTECTION SYSTEM: wear autonomous respirator and protective clothes.

### 6. Accidental release measures

Extinguish the sources of ignition or heat; cover the spillage with inert absorbent material. Collect as far as possible the resulting mass and discard the remainder by spraying water, if not contraindicated.

For information on environmental and health risks, protection of the respiratory airways, ventilation and individual protective measures refer to the other sections of this sheet.

### 7. Handling and storage

Store in a wellventilated place keeping the containers closed when not used. Do not smoke while handling. Keep far away from sources of heat, naked flames and sparks and other sources of ignition.

### 8. Exposure controls/personal protection.

Against corrosive properties of the product and according to the type of working, suitable protection equipment should be worn. Such as: an helmet to protect the face, the head and the neck, waterproof gloves and overalls, resistant to the product.

Do not eat, drink or smoke while handling it; wash carefully with soap and water before meals and after work shift; a shower is recommended.

### 9. Physical and chemical properties

Colour	pigmented
Odour	characteristic
Physical state	Fluid mortar
Viscosity	N.A.
Vapour density	N.A.
Solubility	insoluble
Evaporation speed	N.A.
Comburent properties	N.A.
Partition coefficient: n-octanol/water	N.A.
pH	N.A.
Boiling point	N.A.
Flash point	> 61°C
Explosive properties	N.A.
Vapour pressure	N.A.
Specific gravity	1,500Kg/l

### 10. Stability and reactivity

Thermal decomposition and combustion release carbon monoxides and other toxic gases and vapours. The product may react exothermically on contact with strong oxidizing agents or reducers, strong acids or bases.


Benzyl alcohol: it reacts violently with strong oxidizing agents and may attack aluminium when heated.

### 11. Toxicological information

This product is corrosive and causes abrasions of skin surface, accompanied by rubefaction, warmth and sting. In the most serious cases, small vesicles appear, which cause strong sting and pain. Upon contact with eyes, it may cause serious harm such as cornea opacity, iris lesions, irreversible eye coloration. Possible vapours are caustic for the respiratory system and may



## 15. Regulatory information



CORROSIVE

R34	CAUSES BURNS.
R37	IRRITATING TO RESPIRATORY SYSTEM.
R42/43	MAY CAUSE SENSITIZATION BY INHALATION AND SKIN CONTACT.
S 1/ 2	KEEP LOCKED UP AND OUT OF THE REACH OF CHILDREN.
S22	DO NOT BREATHE DUST.
S26	IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE.
S36/37/39	WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION.
S45	IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).
S63	IN CASE OF ACCIDENT BY INHALATION: REMOVE CASUALTY TO FRESH AIR AND KEEP AT REST.

### Contains:

PARATERTIARIOBUTYLPHENOL  
2-PIPERAZINE-1-ILETHYLAMINE  
3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE  
3,6-DIAZAOCTANE-1,8-DIAMINE

Danger labelling under regulations 67/548/CEE and 1999/45/CE and following amendments and adjustments.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/CE regulation is respected.

## 16. Further information

Text of -R- phrases quoted in section 2 of the sheet.

R20/22	HARMFUL BY INHALATION AND IF SWALLOWED.
R21	HARMFUL IN CONTACT WITH SKIN.
R21/22	HARMFUL IN CONTACT WITH SKIN AND IF SWALLOWED.
R34	CAUSES BURNS.
R36/37/38	IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.
R37	IRRITATING TO RESPIRATORY SYSTEM.
R42/43	MAY CAUSE SENSITIZATION BY INHALATION AND SKIN CONTACT.
R43	MAY CAUSE SENSITIZATION BY SKIN CONTACT.
R52/53	HARMFUL TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.

### GENERAL BIBLIOGRAPHY

1. Regulation 1999/45/CE and following amendments;
2. Regulation 67/548/CEE and following amendments and adjustments (technical adjustment XXVIII);
3. Regulation 91/155/CEE and following amendments;
4. The Merck Index. - 10th Edition;
5. Handling Chemical Safety;
6. Niosh - Registry of Toxic Effects of Chemical Substances;
7. INRS - Fiche Toxicologique (toxicological sheet);
8. Patty - Industrial Hygiene and Toxicology;

# **P.A.103**

## **(COMPONENT B)**

Revision nr. 1  
Dated 09/26/2003  
Printed on 09/26/2003  
Page n.5 / 5

9. N.I. Sax-Dangerous properties of Industrial Materials-7, 1989 Edition;

### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.